[APPLICATION NOTE]

VVOTECS

WATERS SDMS VISION PUBLISHER RECORDING AN LC/MS EXPERIMENT

Chris L. Stumpf, Robert S. Plumb, and Kelly A. Johnson Waters Corporation, Milford, MA, USA

INTRODUCTION

Maintaining a paper research laboratory notebook is a tremendous amount of work, especially in today's data-rich research environment. It is estimated that researchers spend between 15 and 20% of their designated research time maintaining a paper notebook. The resulting notebook consists of a mixture of handwritten text and drawings and often becomes bloated with taped-in data hard copies. Unfortunately, depending on the handwriting and organizational skills of the scientist maintaining a notebook, the entries may only be legible or understood by the author. Furthermore, once a notebook is completely filled, it is often placed in storage or a library and it is not readily accessible for data retrieval. Hence, previously performed experiments within a laboratory are often repeated as there are no clear records of the methodology or experimental conditions. It is often easier to repeat the experiment rather than to find the original notebook entries.

With Waters[®] SDMS Vision Publisher, scientists can electronically create, calculate, search, monitor, and report any type of scientific information. SDMS Vision Publisher addresses many critical work-flow issues including improved productivity, information tracking, and intellectual property management. For capturing data, SDMS Vision Publisher is facile; there is no need to archive paper copies of tables, graphs, structures, chromatograms, spectra, or photographs, thus saving time and ensuring consistent recordkeeping. These digital forms of data can be captured either by the operating system clipboard, or by configurable instrument agents. Even multimedia files can be incorporated into an entry. Text, data, and calculations can be input using standardized business and data processing tools such as Microsoft Word and Excel, Waters Empower[™] and MassLynx[™] software, and more. Chemical structures can be drawn by using commercially available packages.

The advantages of using these programs are:

- entries are legible by multiple users
- entries can be standardized for the use of templates
- entries are fully searchable.

For example, entries can be searched within the text body, or by the use of metadata entries. Chemical structures can be searched by both full and substructures, as well as metadata descriptors. Hence, previously performed experiments can be found with ease on a laboratory or enterprise-wide scale. Finally, Vision Publisher comes 21 CFR Part 11 compliant-ready. These numerous capabilities are demonstrated in this application note, where a typical LC/MS experiment is conducted showing the creation of SDMS Vision Publisher entries, searching entries, and digital signatures features.




Figure 1. SDMS Vision Publisher manages the entire experimental workflow - data capture, data review, and storage.

[APPLICATION NOTE]

SIMPLIFY THE RECORDING OF EXPERIMENTAL CONDITIONS

Once a new experiment begins, Vision Publisher allows you to capture all of the data elements that you would typically see in a paper notebook. Just as you would write your experimental aims and conditions, Vision Publisher allows you to digitally enter the same information with software programs that you already use on a daily basis. In Figure 2 below, the Introduction and Experimental sections have been generated as notebook "objects" via input from Microsoft Word and Excel, with each new entry conveniently indexed on the left side of the page. In this case, Word was used to enter the textual components of the introduction and experimental sections, and Excel was used to capture the HPLC gradient table conditions.

For full Vision Publisher interactivity with experimental detail, the text content of both the Word and Excel entries can be dynamically searched by using a full suite of search options. By making use of keyword metadata fields, more descriptor information can be applied to the information entered, and used for subsequent searches. The combination of these input and search functionalities is crucial to the day-to-day operations of research and discovery laboratories, as experimental information from related studies is often required for consistency of analyses.

	an a	
<u>a a s</u> .	2-22/2-12-2-2-	
a later later	In Jacob Later and Later Sectors (COLOR)	
	2 ¹ Instantiant This ship of the second set is shortform any electronic model of the stight of the stight instantiant of the second set is shortform and the stight of the stight of the stight of the second second set of the stight of the stight of the stight of the stight of the second secon	
	a Reprint the	
	Independence All of decimal (2011) even upwarded is accellence introduce over the stars using Verdella area. Accellence of the stars using and obtained area of the adverse area and Verdella area. Accellence of the stars using a transmission of the adverse area and Verdella area. Accellence of the stars using a transmission of the adverse area and Verdella area. Accellence of the stars area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area and Verdella area. Accellence of the stars area area area area area area area a	
		A Real Property lineary and the

Figure 2. Vision Publisher entry illustrating the capture of the Introduction and Experimental sections of an LC/MS experiment from Word and Excel.

ADVANCED DATA CAPTURE TOOLS

This process of manually cutting and pasting data hard copy into paper notebooks takes time, and paper copies often fade or become lost from the notebook. In contrast, when using Vision Publisher, the instrumental data can be copied and pasted directly from various data software packages. This operation can be performed in seconds, and becomes part of the permanent experimental record. An example of this procedure is shown in Figure 3, where the mass spectra of cholic acid are captured from MassLynx and copied into Vision Publisher's entry page. In addition, the use of corresponding metadata input makes the mass spectra searchable. The chemical structure of cholic acid is also shown in the Vision Publisher entry in Figure 3; this was drawn by using common structural drawing software (in this case, MDL ISIS/Draw), and then the structure was saved as an MOL file. An automated protocol was used to capture the MOL file into the "Results" section as a Vision Publisher object complete with an index entry. The advantage of using this method is that any future reference to this chemical entity (cholic acid) can be auto-populated for subsequent Vision Publisher entries and it is searchable as a full structure or substructure. The search results are displayed as a comprehensive table containing the structures found and active links to the corresponding experiments. Thus, this feature provides additional capabilities to enhance information management and retrieval.




Figure 3. Vision Publisher entry showing the mass spectra and chemical structure of cholic acid.

STREAMLINING THE REVIEW PROCESS

The U.S. FDA's 21 CFR Part 11 describes the criteria for the acceptance of electronic records and electronic signatures which are applicable to a wide range of FDA regulated industries. This regulation establishes the criteria under which the FDA considers electronic records and signatures executed to electronic records to be trustworthy, reliable, and generally equivalent to paper records and handwritten signatures executed in paper notebooks and documentation. SDMS Vision Publisher is 21 CFR Part 11 compliant-ready with statusbased user access, configurable electronic signature hierarchies, full audit trails, and digital signatures. The electronic signature protocol consists of all of the necessary descriptor elements such as author, experiment ID, signer, and reason for signature. Electronic signatures are made by authorized users with logins and passwords. This simple function is carried out with an email messaging system, which alerts various team members of upcoming action items generated within the Publisher entry, such as request for signature and approval, and then it archives follow-up actions. This is particularly useful for laboratory managers, allowing them to follow the real-time status and compliance activities of the laboratory.

Stlectronic Signature	<u> 1 ×</u>
Experiment	
Ceator	Experiment ID [641115_PM0_0001
Dr. Ovis Stump!	041119_PM0_0001
Send Notification to	
Approver	Deadine:
Dr. Rob Plumb	T1/22/2004 9:41:53.4M
Priority 1 1 Low priority	
Notity	Notification Message
	-
	1
Search for Users	Add Experiment Link.
Signer	
Useld	Reason for Signature
plante	I have witnessed your notebook entry.
Rob Planb	Please start the MS/MS experiments for confirmation ASAP.
Pannword	
[·
for farmed for the	1
Sign Second Signature	Cancel

Figure 4. Example of the electronic signature process for Vision Publisher.

COMPREHENSIVE AUDIT TRAIL INFORMATION

A typical notebook entry consists of many sub-entries. Each of these sub-entries is monitored for changes as a record is maintained over time. The status of the overall notebook entry is monitored for any subsequent changes after approval. Vision Publisher uses secure, software-generated, time-stamped audit trails (Figure 5) to independently record the date and time of operator entries, as well as actions that create, modify, or delete electronic records. If a valid change needs to be made, it would be handled just as it would be in in a paper notebook, where the changed entry is appended to and witnessed and recorded electronically instead of on paper.

CONCLUSION

Waters SDMS Vision Publisher provides a reliable, easy-to-use, compliant-ready data storage and retrieval tool for any scientific workplace that wants to manage information in a whole new way to increase productivity. Added functionality such as faster search capabilities and real-time messaging, enhance the data entry and review processes, so that more truly useful information can be mined across the organization.

Motors Electr	ania i ak	oratory Notebook - Experiment	Accella	Tanit	
			wuan	111400	
Experiment 0411		01			
22.11.2004 14:48:47					
10.	Defension from a	f unknown metabolite in rat union.			
Tablifa	Minutes of dates				
Description	Determination of unit-come multiplific by comparison will exact many, relation time, elemental comparation determination of an authoritic				
	shandler ti.				
Experiment Status	Approved				
Laboratory	1940				
Padat	TOT ADDRESS TOP	chanada			
Tamplata Group					
Tamplata					
Counted on	10.11.2004 10.3	Rents Bayline. Charles Sharengel			
Carront Bars	22.11.2008 14.00.47				
Medified as		5:58 by Dr. Chris Shampf			
Maddle plan	Shahan				
Experiment Mod	ifications.		_	Statistics of	
		Service Sectors	10.00		
the second second second	and the second second	Description Determination of anticense metabolity by comparison with	240		
interestation of anterest includedly in ral artist.	States a	Description Delemination of advances metabolite by comparison with exact many metabolite line, alongentian determination of an adfantic standard.	-	na FLJake na Jack fö byda. Claris Skampf	Comments.
	Advertised on	exact mans, relation into, elemental composition determination of an authority relations. Determination of advances metabolits by comparison with exact mans, relations (me, advanced i comparison)		10.11.2004 10.00.01	
narladadile in cal arise. Intermination of uninerse metadodile in cal arise.	Station and an	exad mass, rotation line, clanantal composition determination of an authority strandard. Determination of animous metabolity by comparison with exact mass, rotations line, advantat a compaction determination of an authority strandard.		10.11.2004 IB.20.11 by Co. Chris Hampi 10.11.2004 IB.20.12 by Co. Chris Hampi	
natulaidhe in rul arba. Iolar naisdise d'aslannan	Station and an	read mass, ninktion line, downlid i compatibilit differentialitis et a adheritis classification. Ninktionalatis of estimates and dalles lig-companion with east mass, ninktion line, downline i compatibiliti differentiation of an adheritis classification differentiation of an adheritis classification.		No. FL. 2004 - NO. H. 1 By Ch Chris Manuel No. FL. 2004 - NO. H. 1	
natulaisiin in ur arinn. Internetisation of unitereen Internetisation of unitereen Internetisation of unitereen Internetisation of unitereen	Station and an	Instal mass, schedules less, desveld a respektion determendation of authority character. Petermendation of authority character authority and authority character authority and authority character determendation of authority character authority and authority character authority authority and authority character authority and authority character authority authority and authority and authority aut		10.11.2004 IB.20.10 By Co. Clark Stampf Ib. 11.2004 IB.20.20 By Co. Clark Stampf Ib. 11.2004 IB.20.21	
instabulle in of orbosom Internet-ation of orbosom natabulle in of orbosom Instabulle in of orbos Instabulle in of orbos	Alexandra Statistics Alexandra Alexandra Alexandra Alexandra	Insuit mass, networks low, advanced a comparison determinations of a softwark shared as comparison with exact means, networks low, advanced a comparison with exact means, networks low, advanced a comparison determination of an advanced instantial of a south means, networks low, advanced a specific mean means, networks low, advanced a specific regard mean, networks low, advanced a comparison of advanced and a softwarks in the specific means and means, networks low, advanced a comparison of advanced and a softwarks low, advanced a comparison of advances and advances in the comparison with exact means, networks low, advanced a comparison and means. The advances and advances in comparison with exact means, networks low, advanced and advances in comparison and means. The specific low, advanced and advances in comparison advances and advances low advances in comparison.		10.71.2004 10.2010 Byth: Christ Shangel 10.71.2004 10.2013 Byth: Christ Shangel 10.71.2004 10.4213 Byth: Christ Shangel 10.71.2004 10.4213	Castana
metadolite in of arise. Determination of asknown metadolite in of arise. Determination of asknown metadolite in of arise. Determination of asknown metadolite in of asknown	Alteritation Starting Alteritation Starting Starting Alteritation Starting Alteritation	Insuit mass, networks ikes, advanced a respective determination of a submark studied. Petermination of advances calculate to comparison with cased mass, networks thanker. Externational or an advanced instance. Retermination of a submark studied. Retermination of advances calculate to programme with result mass, networks thanker. Retermination of advances calculate to programme with result mass, networks thanker.		49.14.2004 95.06.91 By Dr. Chris Hampf 49.14.2004 95.00.03 By Dr. Chris Hampf 49.14.2004 95.00.03 By Dr. Chris Hampf 49.14.2004 95.00.03 By Dr. Chris Hampf 49.14.2004 95.00.03	

Figure 5. Audit trail for a typical Vision Publisher entry.

[APPLICATION NOTE]





Waters is a registered trademark of Waters Corporation. Empower, MassLynx, and The Science of What's Possible are trademarks of Waters Corporation. All other trademarks are the property of their respective owners.

O2007 Waters Corporation. Printed in the U.S.A. June 2007 720002046EN JH-AC

Waters Corporation 34 Maple Street Milford, MA 01757 U.S.A. T: 1 508 478 2000 F: 1 508 872 1990 www.waters.com