

# **SEC Fingerprinting of Polyvinyl Alcohols**

# **Application Note**

#### **Author**

Graham Cleaver Agilent Technologies, Inc.

#### Introduction

Three samples of polyvinyl alcohol were analyzed by aqueous SEC using Agilent PL aquagel-OH columns. These columns combine high pore volume and high column efficiency (>35,000 plates/meter) for maximum resolution. The calculated molecular weight averages were compared with manufacturers' quoted viscosity values. Calibration was done using pullulan polysaccharides.





#### **Conditions**

Samples: Three polyvinyl alcohols Columns:  $2 \times PL$  aquagel-0H 40 8  $\mu m$ ,

 $300 \times 7.5 \text{ mm (p/n PL1149-6840)}$ Eluent:  $0.2 \text{ M NaNO}_3 + 0.01 \text{ M NaH}_2 \text{PO}_4 \text{ at}$ 

pH 7

Flow Rate: 1.0 mL/min

Detection: RI

### **Results and Discussion**

Sample	Viscosity (mPa.s)	Mn	Mw
Α	4	9771	29,470
В	10	23,339	80,174
С	20	31.210	102.309

Figure 1 is a chromatogram of one of the samples and Figure 2 shows overlaid molecular weight distributions of all three samples. Molecular weight distribution overlays provide a convenient method of fingerprinting for quality control and are more informative in production control and end-use performance evaluation than are single point viscosity measurements.




Figure 1. Raw data chromatogram of poly 2-vinyl pyridine




Figure 2. Comparison of molecular weights of three polyvinyl alcohols

## **Conclusion**

Size exclusion chromatography using PL aquagel-OH columns highlighted the advantages of molecular weight values over single point viscosity measurements in the analysis of polyvinyl alcohols. Aqueous SEC also provides information on the polydispersity and the shape of the molecular weight distribution. The excellent chemical and mechanical stability of these columns offer high performance with good repeatability and column lifetime.

#### www.agilent.com/chem

This information is subject to change without notice.

© Agilent Technologies, Inc. 2015

Published in UK, April 30, 2015

5991-5780EN

